

A close-up photograph of a lush green artificial grass surface. In the foreground, several smooth, light-colored, rounded stones are scattered across the grass. The grass blades are dense and have a slightly textured appearance. The background is a soft, out-of-focus green, suggesting a larger area of the same material.

Artificial grass

...inspired by nature



CONTENT / SADRŽAJ

ARTIFICIAL GRASS / TRAVA

PREMIER	6
GLADE	8
FIELD	10
PRADO	12
CAMPO	14
GREENFIELD	16
GREENLAND	18

CUT GRASS / KOMADNA TRAVA

FIELD	22
PRADO	24
GREENLAND	26
PACKAGING	28

INSTALLATION / POSTAVLJANJE	30
-----------------------------	----

PREMIER

outdoor collection



Luxurious feel with natural appearance





Pile material / Sastav flora:	50% PP 50%PE
Backing / Poledinska dorada:	LATEX COMPAUND
Pile height / Visina flora:	50 mm
Total weight / Ukupna težina:	2150 g/m ²
Width / Širina:	2 m / 4 m
UV Stability / UV Stabilnost:	>5000 h UV-A



GLADE

outdoor collection

Touch of nature




Pile material /Sastav flora:	50% PE 50%PP
Backing / Poledinska dorada:	LATEX COMPAUND
Pile height / Visina flora:	35 mm
Total weight / Ukupna težina:	1650 g/m ²
Width / Širina:	4 m
UV Stability / UV Stabilnost:	>5000 h UV-A



Unique by its appearance & touch

FIELD

outdoor collection



Pile material / Sastav flora:	50% PE 50%PP
Backing / Poledinska dorada:	LATEX COMPAUND
Pile height / Visina flora:	17 mm
Total weight / Ukupna težina:	1200 g/m ²
Width / Širina:	2 m / 4 m
UV Stability / UV Stabilnost:	>5000 h UV-A





PRADO

outdoor collection



Pile material / Sastav flora:	55%PE 45%PP
Backing / Poledinska dorada:	LATEX COMPAUND
Pile height / Visina flora:	17 mm
Total weight / Ukupna težina:	1350 g/m ²
Width / Širina:	2 m / 4 m
UV Stability / UV Stabilnost:	>5000 h UV-A





Modest feel and look

CAMPO

outdoor collection



Pile material / Sastav flora:	50% PE 50% PP
Backing / Poledinska dorada:	LATEX COMPAUND
Pile height / Visina flora:	19 mm
Total weight / Ukupna težina:	1050 g/m ²
Width / Širina:	2 m / 4 m
UV Stability / UV Stabilnost:	>5000 h UV-A



GREENFIELD

outdoor collection




Pile material / Sastav flora:	100%PP UV
Backing / Poledinska dorada:	LATEX COMPAUND
Pile height / Visina flora:	6 mm
Total weight / Ukupna težina:	920 g/m ²
Width / Širina:	2 m / 4 m



GREENLAND

outdoor collection



Pile material / Sastav flora:	100% PP UV
Backing / Poledinska dorada:	LATEX COMPAUND
Pile height / Visina flora:	5 mm
Total weight / Ukupna težina:	750 g/m ²
Width / Širina:	2 m / 4 m





Cut Grass
...inspired by nature

Unique by its appearance & touch

FIELD

cut grass collection



100 x 200cm | 133 x 200cm

Pile material / Sastav flora:	50% PE 50%PP
Backing / Poledinska dorada:	LATEX COMPAUND
Pile height / Visina flora:	17 mm
Total weight / Ukupna težina:	1200 g/m ²
Width / Širina:	2 m / 4 m
UV Stability / UV Stabilnost:	>5000 h UV-A
Dimesions / Dimenzije:	100 x 200 133 x 200 cm





PRADO

cut grass collection





100 x 200cm

Pile material / Sastav flora:	55%PE 45%PP
Backing / Poledinska dorada:	LATEX COMPAUND
Pile height / Visina flora:	17 mm
Total weight / Ukupna težina:	1350 g/m ²
Width / Širina:	2 m / 4 m
UV Stability / UV Stabilnost:	>5000 h UV-A
Dimesions / Dimenzije:	100 x 200 cm



GREENLAND

cut grass collection



100 x 200cm | 133 x 200cm

Pile material / Sastav flora:	100% PP UV
Backing / Poledinska dorada:	LATEX COMPAUND
Pile height / Visina flora:	5 mm
Total weight / Ukupna težina:	750 g/m ²
Width / Širina:	2 m / 4 m
Dimesions / Dimenzije:	100 x 200 133 x 200 cm



FIELD

Packaging options / Opcije pakovanja

1. **PALLET:** Two boxes on a pallet - 20 pieces per box = 40 pieces per pallet /
PALETA: Dve kutije na paleti - 20 komada u kutiji = 40 komada na paleti
2. **PCE:** Single roll in PE foil /
KOM: Jedan komad rolne upakovan u PE foliju

PRADO

Packaging options / Opcije pakovanja

1. **PALLET:** Two boxes on a pallet - 20 pieces per box = 40 pieces per pallet /
PALETA: Dve kutije na paleti - 20 komada u kutiji = 40 komada na paleti

GREENLAND

Packaging options / Opcije pakovanja

1. **PALLET:** Two boxes on a pallet - 35 pieces per box = 70 pieces per pallet /
PALETA: Dve kutije na paleti - 35 komada u kutiji = 70 komada na paleti
2. **PCE:** Single roll in PE foil /
KOM: Jedan komad rolne upakovan u PE foliju

Looks of PALLET / Izgled PALETE



Packaging

INSTALLATION

POSTAVLJANJE


EN

Packed turf rolls should not be exposed in open air on high temperatures or excessive sunlight. They have to be kept inside in dry conditions and placed horizontally, protected from sunlight and moist, away from potential mechanical damages.



EN

Remove the existing material (any vegetation, tree roots, fertilizer and large stones) before flattening the base. The electrical wiring and sprinkling lines must be placed just beneath the surface intended for the artificial turf. Before the beginning of the process, check whether sprinkling lines and electrical wiring work.



EN

Laying the base correctly is crucial for the turf stability. 7.50/20.50cm layer of crushed stone must cover the whole area uniformly, with the usage of 1m³ of gravel for 30.52m² of the artificial turf (providing that between 7.50 and 10cm of vegetation is removed).

Storage Čuvanje materijala

SR

Upakovane rolne ne smeju stajati na otvorenom i biti izložene visokim temperaturama i prekomernom uticaju sunčeve svetlosti. Roba se mora čuvati u zatvorenom i suvom prostoru bez vlage i prirodne svetlosti, u horizontalnom položaju i dalje od potencijalnih izvora mehaničkih oštećenja.

Removing the lawn Uklanjanje travnjaka

SR

Pre poravnavanja baze potrebno je ukloniti sav postojeći materijal (svu vegetaciju, korenje, đubrivo, veliko kamenje). Električne instalacije i prskalice moraju biti postavljene malo ispod površine planiranog mesta za veštačku travu. Pre početka radova proveriti da li prskalice i električne instalacije rade.

Laying the base Postavljanje baze


SR

Ključno za stabilnost veštačke trave je pravilno postavljanje podloge. Od 7.50 do 20.50 cm zdrobljenog kamena mora jednako pokriti celo područje, pri čemu je pravilo da se 1m³ šljunka koristi za 30.52m² veštačke trave (ukoliko je između 7.50 i 10cm biljnog tla pomeren).



EN

Slightly dampen the base and flatten the base material using a roller or a plate compactor. Do this until reaching compaction of minimum 90 %. After it dries out, the base must be hard and smooth.



EN

It is important that the upper part of the artificial turf is 1.25cm above hard surface. It is not mandatory that the project area is completely flat – it can have slight slopes. It is advisable to previously use geotextile weed killer for the base. If it is needed, place decking or treated wood along the sides of an area planned for the artificial turf.



EN

Unroll the artificial turf and make sure that each roll is in the same direction. Due to the specific manufacturing process, there may be deviations in colors within the type of product between two different production series. Therefore, it is necessary to use rolls from the same production series for installation in one space. Serial number is shown on the label on the roll package.

If there are slopes on it, just spread them on a flat surface facing the sun. It is recommended to leave the artificial turf spread on the base between 24 and 48 hours.

Flatening the base Ravnanje baze

SR

Nakvasiti podlogu i pomoću valjka ili vibro ploče izravnati materijal za bazu, sve dok se ne postigne kompaktnost od minimum 90%. Nakon što se osuši, podloga mora biti tvrda i bez brazdi.

Finished base Postavljena baza

SR


Važno je da gornji deo veštačke trave bude 1.25cm iznad tvrde površine. Planirano područje može imati i nagibe, ne mora biti potpuno ravno. Savetuje se da se baza prethodno isprska sredstvom protiv pesticida. Ukoliko je potrebno, na obode prostora predviđenog za veštačku travu staviti brodski pod ili obrađeno drvo.

Laying the artificial turf Postavljanje veštačke trave

SR

Odmotati veštačku travu tako da svaka rolina bude okrenuta u istom pravcu. Zbog specifičnosti postupka proizvodnje, postoji mogućnost odstupanja nijanse u okviru tipa proizvoda između dve različite serije proizvodnje. Iz tog razloga je u istom prostoru neophodno koristiti rolne iz iste serije proizvodnje. Serijski broj rolne nalazi se na etiketi na pakovanju.

Ukoliko ima brazdi, neophodno je da rolne budu raširene na ravnoj površini i na suncu. Preporučljivo je da veštačka trava bude raširena na podlogu od 24 do 48 sati.



EN

Cut the artificial turf on the underside so that its dimensions fit in the area where it will be placed. Prior to fastening and gluing, the whole artificial turf must be cut.



EN

Using weather resistant glue join two sections of the artificial turf so that it looks like a single piece of the artificial turf. Fasten the artificial turf at the seams with 15 or 17cm earth staples. Leave the artificial turf for 48 hours in order to see whether any shrinkage of the material occurs before nailing the artificial turf. Place the stakes at every 30cm of the artificial turf and leave an additional safety margin of 3cm of the material on every edge. Turn on the sprinkling system and electrical wiring in order to check whether they function.



EN

The silica sand materials used for filling serve as protection and maintenance of the artificial turf structure. In order to spread the material uniformly, it is important not to place large quantities of the material at once. Don't place the filling material before the artificial turf dries out.

Cutting the turf to adapt it to the project area Sečenje i uklapanje veštačke trave

SR

Veštačku travu secite sa poledinske strane tako da dimenzije odgovaraju prostoru na koji će se postaviti. Pre pričvršćivanja i lepljenja, veštačka trava se mora cela iseći.

Attaching the artificial turf to the edges Pričvršćivanje krajeva veštačke trave


SR

Lepkom otpornim na sve vremenske uslove za sve vremenske uslove spojiti dve rolne veštačke trave da izgledaju kao celina. Pričvrstiti travu po ivicama koristeći eksere za zemlju dužine od 15 do 17cm. Pre zakucavanja ostaviti travu da leži do 48h zbog mogućeg skupljanja materijala. Postaviti kočice na svakih 30cm i na krajevima ostaviti 3cm materijala više nego što je potrebno. Uključiti prskalice i proveriti da li rade i one i električne instalacije.

Filling the artificial turf with sand and rubber Punjenje veštačke trave peskom i gumom


SR

Materijali od silikonskog peska koji se koriste za punjenje, služe za zaštitu i održavanje strukture veštačke trave. Da bi se materijal koji se koristi za punjenje ravnomerno rasporedio, važno je da se na travu ne stavljaju odjednom velike količine materijala. Ne stavljati materijal za punjenje dok je veštačka trava vlažna.



EN

Place the filling material in the spreader (such as the one used to sow grass seeds, spread fertilizer and lime) and set the dispensing gauge to 5 or Medium. Always use sand first. Between each filling material layer brush the synthetic turf pile vertically using hard industrial bristle or power broom. Continue brushing it until the height of the artificial turf reaches 2cm and its tops 1.25cm.



EN

Water the whole area using a hose so that the material settles. Since the cleaning process is important, remove any equipment or material that you don't need anymore.

Spreading the filler Raspoređivanje punjenja

SR

Staviti materijal za punjenje na rasipač (poput onih za sejanje semena trave) i podesiti merač doziranja na 5 ili srednje. Uvek prvo koristiti pesak. Između svakog sloja materijala vertikalno očetkati sintetičku travu koristeći tvrdu industrijsku četku ili električnu metlu. Četkati sve dok visina trave ne bude 2cm, a visina njegovih vrhova 1.25cm.

SR

Isprskati celu površinu koristeći crevo kako bi se materijal pravilno nataložio. Budući da je čišćenje važno, pomeriti svu opremu i sav materijal koji vam više nije potreban.

Proper roll stacking Pravilno slaganje rolni

